TP-Link Archer TX20U Plus WLAN 1800 Mbit/s





Mærke : TP-Link

Produktkode: ARCHER TX20U PLUS

Produktnavn : Archer TX20U Plus

TP-Link Archer TX20U Plus. Forbindelsesteknologi: Trådløs, Værtsgrænseflade: USB, Grænseflade: WLAN. Maksimal dataoverførselshastighed: 1800 Mbit/s, Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz). Antenne type: Ekstern, Produktfarve: Sort

Porte & Grænseflader	
Forbindelsesteknologi *	Trådløs
Værtsgrænseflade *	USB
Grænseflade *	WLAN
USB version	3.2 Gen 1 (3.1 Gen 1)

Netværk	
Maksimal dataoverførselshastighed *	1800 Mbit/s
Netværksstandarder *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	✔
Wi-Fi-bånd	Dual-band (2,4 GHz / 5 GHz)
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Understøttede WLAN-dataoverførselshastigheder	11,54,300,400,574,867,1200 Mbit/s
Sikkerhedsalgoritmer	WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, WPA3
MU-MIMO	✔

Design	
Komponent til *	PC
Produktfarve	Sort
Intern *	✘
Antenne type	Ekstern
Sendeeffekt (CE)	16 dBm
Sendeeffekt (FCC)	19 dBm
LED-indikatorer	Status
Driftsmodus	Infrastruktur-tilstand

Systemkrav	
Understøttede Windows-operativsystemer	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64

Driftsbetingelser	
Driftstemperatur (T-T)	0 - 40 °C
Relativ luftfugtighed ved drift (H-H)	10 - 90%
Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%

Bæredygtighed	
Overholdelse af bæredygtighed	✔

Vægt & størrelser	
Bredde	84 mm
Dybde	156,3 mm
Højde	19,2 mm

Emballeringsdata	
Pakkebredde	201,5 mm
Pakkedybde	153 mm
Pakkehøjde	46,5 mm
Pakkevægt	230 g

Emballage indhold	
Kabler inkluderet	USB
Hurtig installationsvejledning	✔

Tekniske detaljer	
Compliance-certifikater	RoHS, Federal Communications Commission (FCC), CE
Andre funktioner	
Antenner, antal	2

4897098687888

0840030707889

840030707889

4897098689974

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 10-NOV-2026. Prints or copies of Information are only valid on the printed Publication date