



Cudy LT12 trådløs router Gigabit Ethernet Dual-band (2,4 GHz / 5 GHz) 4G Sort

Mærke : Cudy

Produktkode: LT12_EU

Produkt navn : LT12

Cudy LT12. WAN forbindelsestype: RJ-45. Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz), Bedste Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN dataoverførselshastighed (maks): 867 Mbit/s. Ethernet LAN-grænsefladetype: Gigabit Ethernet, Ethernet LAN-datahastigheder: 10,100,1000 Mbit/s, Kabelteknologi: 10/100/1000Base-T(X). Generering af mobilnetværk: 4G, 3G standard: DC-HSPA+, WCDMA, 4G standard: LTE-TDD & LTE-FDD. Sikkerhedsalgoritmer: WPA, WPA2, WPA3, Firewall sikkerhed: Mac Filter, IP Filter, Domain Filter



WAN-forbindelse		Protokoller	
Ethernet WAN *	✓	Universal Plug and Play (UPnP)	✓
DSL WAN *	✗	Understøttede netværksprotokoller	IPv4/IPv6
SIM-kort slot *	✓	Design	
WAN forbindelsestype	RJ-45	Produktfarve	Sort
Trådløse LAN funktioner		LED-indikatorer	Strøm, WLAN
Wi-Fi-bånd *	Dual-band (2,4 GHz / 5 GHz)	Tænd-/slukkontakt	✓
Bedste Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Produkttype *	Bordplade router
WLAN dataoverførselshastighed (maks) *	867 Mbit/s	Emballage indhold	
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Kabler inkluderet	LAN (RJ-45)
WLAN dataoverførselshastighed (første bånd)	300 Mbit/s	AC-adapter inkluderet	✓
WLAN dataoverførselshastighed (anden bånd)	867 Mbit/s	Hurtig installationsvejledning	✓
Modulation	256-QAM	Antenne	
Netværk		Antennedesign *	Ekstern
Ethernet LAN *	✓	Antennestik type	SMA
Ethernet LAN-grænsefladetype *	Gigabit Ethernet	Antenner, antal	6
Ethernet LAN-datahastigheder	10,100,1000 Mbit/s	Aftagelig (e) antenne (r)	✓
Kabelteknologi	10/100/1000Base-T(X)	Funktioner	
Portvideresendelse	✓	Indbygget processer	✓
Port udløsning	✓	Processorproducent	MediaTek
Dynamisk DNS (DDNS)	✓	Processorfrekvens	880 MHz
VPN-support	PPTP/L2TP/OpenVPN/WireGuard/Zerotier	Processorkerner	2
Mobilt netværk		Intern hukommelse	256 MB
Generering af mobilnetværk	4G	Intern hukommelsestype	DDR3
Understøttelse af Dual-Sim	✓	Flashhukommelse	16 MB
		Strømsstyring	
		Strømkilde type *	DC

Mobilt netværk		Strømstyring			
3G standard	DC-HSPA+, WCDMA	Vekselstrømsindgangsspænding	90 - 260 V		
4G standard	LTE-TDD & LTE-FDD	Udgangsspænding	12 V		
Tekstbeskeder (SMS)	✓	Udgangsstrøm	1,5 A		
Porte & Grænseflader		Driftsbetingelser			
Ethernet LAN-porte (RJ-45) *	4	Driftstemperatur (T-T)	0 - 45 °C		
USB-port *	✗	Opbevaringstemperatur (T-T)	-40 - 70 °C		
DC-in-stik	✓	Relativ luftfugtighed ved drift (H-H)	5 - 95%		
Administrationsfunktioner		Systemkrav			
Servicekvalitet support (QoS)	✓		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64		
Knap til nulstilling	✓				
WPS trykknapp	✓				
MU-MIMO-teknologi	✓				
MIMO	✓				
Sikkerhed		Understøttede Windows-operativsystemer			
Sikkerhedsalgoritmer	WPA, WPA2, WPA3				
Firewall	✓				
Firewall sikkerhed	Mac Filter, IP Filter, Domain Filter				
Planlægningsadgang	✓				
Understøttelse af DMZ	✓	Understøttede Linux-operativsystemer	✓		
Protokoller				Understøttede Mac-operativsystemer	✓
DHCP-klient	✓				
DHCP-server	✓				
		Vægt & størrelser			
		Bredde	152,5 mm		
		Dybde	253 mm		
		Højde	48,2 mm		
		Emballeringsdata			
		Pakkebredde	265 mm		
		Pakkedybde	415 mm		
		Pakkehøjde	90 mm		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.