SAMSUNG

Samsung RB33B612EWW/EF køle-/fryseskab Fritstående 344 L Hvid

Mærke : Samsung

Produktkode: RB33B612EWW/EF

Produktnavn : RB33B612EWW/EF

Samsung RB33B612EWW/EF. Total netto kapacitet: 344 L. Dørhængsel: Højre, Skærmtype: LED. Klimaklasse: SN-T, Støjniveau: 35 dB. Køleskab, netto rumindhold: 230 L, No Frost (køleskab), Multi-Airflow-system (køleskab), Køleskab indvendigt lys. Fryser, netto rumindhold: 114 L, Frysekapacitet: 7 kg/24t, No Frost (fryser). Energieffektivitetsklasse: E, Årligt energiforbrug: 254 kWh. Produktfarve: Hvid

Design	
Farvenavn	Snow White
Placering af apparat *	Fritstående
Produktfarve *	Hvid
Dørhængsel	Højre
Vendbare døre	✔
Kontroltype	Knapper
Indbygget skærm *	✔
Skærmtype	LED
Skærmplacering	Indvendig
Kølemedium	r600a
Hylder, materiale	Hærdet glas
Justerbare hylder	✔
Dørhylde materiale	Plast
Antal kompressorer	1
Inverter-teknologi	✔

Præstation	
Total netto kapacitet *	344 L
Klimaklasse *	SN-T
Minimal driftstemperatur	10 °C
Maksimal driftstemperatur	43 °C
Støjemissionsklasse *	B
Støjniveau *	35 dB
Ismaskine *	✘
Justerbar termostat	✔

Køleskab	
Køleskab, netto rumindhold *	230 L
Kølesystem	Ventileret
Køleskab indvendigt lys	✔
Lampe type	LED
No Frost (køleskab) *	✔
Multi-Airflow-system (køleskab) *	✔

Køleskab	
Antal grøntsagsskuffer *	1
Æggebakke	✔
Køleskabsdøre	3
Antal æggebakker	1
Flaskeholder	✔
Super Cool funktion *	✘

Fryser	
Fryser position *	Bottom-placeret
Fryser, netto rumindhold *	114 L
Frysekapacitet *	7 kg/24t
Opbevaringstid under strømafbrydelse *	9 t
Stjernebedømmelse *	4*
No Frost (fryser) *	✔
Fryser antal hylder/kurve *	3
Hurtig frys funktion *	✘
Isterning bakke	✔

Ergonomisk	
Åben dør alarm	✔

Strømstyring	
Energieffektivitetsskala	A til G
Energieffektivitetsklasse *	E
Årligt energiforbrug *	254 kWh

Vægt & størrelser	
Bredde *	595 mm
Dybde *	658 mm
Højde *	1853 mm
Dybde uden håndtag	59,5 cm
Vægt *	63 kg

Publication date: 26-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Køleskab	
Køleskab antal hylder/kurve *	4
Antal aftagelige hylder	4

Emballeringsdata	
Pakkebredde	637 mm
Pakkedybde	740 mm
Pakkehøjde	1935 mm
Pakkevægt	66 kg

8806094505665

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 26-OCT-2026. Prints or copies of Information are only valid on the printed Publication date