



TP-Link TL-WR1502X trådløs router Gigabit Ethernet Dual-band (2,4 GHz / 5 GHz) Sort

Mærke : TP-Link

Produktkode: TL-WR1502X

Produkt navn : TL-WR1502X

TP-Link TL-WR1502X. Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz), Bedste Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN dataoverførselshastighed (maks): 1500 Mbit/s. Ethernet LAN-grænsefladetype: Gigabit Ethernet, Ethernet LAN-datahastigheder: 10,100,1000 Mbit/s. Sikkerhedsalgoritmer: WPA-Enterprise, WPA2-Enterprise, WPA2-PSK, WPA3-Personal, Firewall sikkerhed: SPI Firewall. Produkttype: Bærbar router, Produktfarve: Sort. Antennedesign: Intern



WAN-forbindelse		Sikkerhed	
Ethernet WAN *	✓	Sikkerhedsalgoritmer	WPA-Enterprise, WPA2-Enterprise, WPA2-PSK, WPA3-Personal
DSL WAN *	✗	Firewall	✓
3G/4G kompatibilitet USB-modem *	✓	Firewall sikkerhed	SPI Firewall
Trådløse LAN funktioner		Adgangskontrolliste (ACL)	✓
Wi-Fi-bånd *	Dual-band (2,4 GHz / 5 GHz)	Protokoller	
Bedste Wi-Fi standard *	Wi-Fi 6 (802.11ax)	DHCP-klient	✓
WLAN dataoverførselshastighed (maks) *	1500 Mbit/s	DHCP-server	✓
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Universal Plug and Play (UPnP)	✓
WLAN dataoverførselshastighed (første bånd)	300 Mbit/s	Design	
WLAN dataoverførselshastighed (anden bånd)	1201 Mbit/s	Produktfarve	Sort
Netværk		Indikatorlampe	✓
Ethernet LAN *	✓	Produkttype *	Bærbar router
Ethernet LAN-grænsefladetype *	Gigabit Ethernet	Antenne	
Ethernet LAN-datahastigheder	10,100,1000 Mbit/s	Antennedesign *	Intern
Portvideresendelse	✓	Strømstyring	
Port udløsning	✓	Strømkilde type *	USB
Dynamisk DNS (DDNS)	✓	Udgangsspænding	12 V
Antal gæstenetværk (2,4 GHz)	1	Udgangsstrøm	1,5 A
Antal gæstenetværk (5 GHz)	1	Driftsbetingelser	
Porte & Grænseflader		Driftstemperatur (T-T)	0 - 40 °C
Ethernet LAN-porte (RJ-45) *	2	Opbevaringstemperatur (T-T)	-40 - 60 °C
USB-port *	✓	Relativ luftfugtighed ved drift (H-H)	10 - 90%
Antal USB 2.0-porte	1	Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
Administrationsfunktioner		Vægt & størrelser	
Webbaseret administration	✓	Bredde	104 mm
Servicekvalitet support (QoS)	✓	Dybde	90 mm
		Højde	28 mm

Administrationsfunktioner		Emballeringsdata	
WPS trykknapp	✓	Pakkettype	Kasse



4895252503449



0840030710001




840030710001



1210002601542



8885021370798



1210002638654

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 30-OCT-2026. Prints or copies of Information are only valid on the printed Publication date