Lenovo ThinkPad Thunderbolt 4 Smart Dock Gen2 7500 Ledningsført Sort

Mærke : Lenovo

Produktkode: 40BE0135EU

Produktnavn : ThinkPad Thunderbolt 4 Smart Dock Gen2 7500



Lenovo ThinkPad Thunderbolt 4 Smart Dock Gen2 7500. Forbindelsesteknologi: Ledningsført, Værtsgrænseflade: Thunderbolt 4, USB strømforsyning op til: 100 W. Ethernet LAN-datahastigheder: 2500 Mbit/s. Produktfarve: Sort, Farvenavn: Eclipse Black, Maksimal digital opløsning: 7680 x 4320 pixel. Strømkilde type: Vekselstrøm, Strømforsyning: 135 W. Bredde: 220 mm, Dybde: 80 mm, Højde: 30 mm



Porte & Grænseflader	
Forbindelsesteknologi *	Ledningsført
Værtsgrænseflade *	Thunderbolt 4
Antal USB 3.2 Gen 2 (3.1 Gen 2) type-A-porte	4
Antal USB 3.2 Gen 2 (3.1 Gen 2) type-C-porte	2
USB strømforsyning	✔
USB strømforsyning revision	3.1
USB strømforsyning op til	100 W
Antal HDMI-porte *	1
HDMI-version	2.1
Antal DisplayPorts	2
DisplayPort-version	1.4
Antal Thunderbolt-porte	2
Thunderbolt 4 porte antal	2
Mikrofonindgang *	✘
DC-in-stik	✔
USB type-C DisplayPort alternativ tilstand	✔

Netværk	
Ethernet LAN *	✔
Ethernet LAN-porte (RJ-45)	1
Ethernet LAN-datahastigheder	2500 Mbit/s

Præstation	
Farvenavn	Eclipse Black
Indbygget kortlæser *	✘
Maksimal digital opløsning	7680 x 4320 pixel
Antal understøttede skærme	4
Maksimal opdateringshastighed	60 Hz
Slot til kabellås	✔
Kabellåseslids type	Kensington

Præstation	
Produktfarve *	Sort
Tænd-/slukkontakt	✔
LED-indikatorer	✔
Certificering	FCC/ICES CE KCC RCM BSMI NCC VCCI CB cULus EAC TUV-Mark LoA Ukraine DoC NOM IFT TELEC UKCA FAC DoC VNTA WPC ETA SRRC SDPPI IMDA SIRIM NBTC SUBTEL KVALITET/RATEL MCIT ANRT UCC INACOM CITRA TRA NTC PSRC NCA ARTCI INCM Thunderbolt Cert. EVO

Strømstyring	
Strømkilde type	Vekselstrøm
Strømforsyning	135 W
Trådløs opladning	✘


Software	
Understøttede Windows-operativsystemer	✔
Understøttede Mac-operativsystemer	✔
Understøttede Linux-operativsystemer	✔

Driftsbetingelser	
Driftstemperatur (T-T)	0 - 40 °C
Relativ luftfugtighed ved drift (H-H)	20 - 95%

Vægt & størrelser	
Bredde	220 mm
Dybde	80 mm
Højde	30 mm
Vægt	547,5 g

Emballeringsdata	
Pakkebredde	237,8 mm

Emballeringsdata	
Pakkedybde	141 mm
Pakkehøjde	75,8 mm
Pakkevægt	1,26 kg



0195892121305



195892121305

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 11-NOV-2026. Prints or copies of Information are only valid on the printed Publication date