Electrolux LFT819K Vægmonteret Sort 600 m³/t



Mærke : Electrolux

Produktkode: 942 022 829

Produktnavn : LFT819K

Electrolux LFT819K. Maksimal ekstraktionseffekt: 600 m³/t, Ekstraktionstype: Aftræk/Recirkulerende, Væske - dynamisk effektivitetsklasse: A. Type: Vægmonteret, Produktfarve: Sort, Farvenavn: Nero. Fedtfilter type: Aluminium, Antal filtre: 3 stk. Antal lyskilder: 1 pære(r), Lampetype: LED, Lys-effektivitet (LE): 58,8 lux/W. Energieffektivitetsklasse: A, Årligt energiforbrug: 62,5 kWh, Energieffektivitetsskala: A+++ til D



A

Præstation	
Maksimal ekstraktionseffekt *	600 m³/t
Ekstraktionstype *	Aftræk/Recirkulerende
Væske - dynamisk effektivitetsklasse *	A
Lys - effektivitetsklasse *	A
Fedt - filtrering effektivitetsklasse *	C
Maksimal recirkulerende effekt	515 m³/t
Luftudsugningseffekt i boost-position	730 m³/t
Boost-position udgangseffekt recirkulerende effekt	545 m³/t
Antal hastigheder *	3
Intensiv hastighed	✔
Støjniveau *	70 dB
Støjniveau (lav hastighed)	56 dB
Støjniveau (medium hastighed)	70 dB
Støjniveau (høj hastighed)	74 dB
Støjniveau (intensiv hastighed)	74 dB
Støjniveau (recirkulation)	75 dB
Tryk (Pa)	530
Luftstrøm (lav hastighed)	295 m³/t
Minimum afstand fra elektrisk komfur	50 cm
Minimum afstand fra gaskomfur	65 cm

Design	
Type *	Vægmonteret
Produktfarve *	Sort
Farvenavn	Nero
Ovn til emhætte funktion	✔

Design	
Udsugningsforbindelse, diameter	15 cm
Antal motorer	1
Motor inkluderet	✔

Filtrering	
Fedtfilter type *	Aluminium
Antal filtre	3 stk

Belysning	
Antal lyskilder	1 pære(r)
Lampetype	LED
Lys-effektivitet (LE)	58,8 lux/W

Strømstyring	
Energieffektivitetsklasse *	A
Energieffektivitetsskala	A+++ til D
Motoreffekt	250 W
Strømforbrug (slukket)	0,49 W
Årligt energiforbrug *	62,5 kWh
Vekselstrømsindgangsspænding	220 - 240 V
Vekselstrømsindgangsfrekvens	50 Hz

Vægt & størrelser	
Bredde *	898 mm
Dybde	454 mm
Højde	1180 mm
Højde (maks.)	118 cm
Højde uden skorsten	6 cm
Vægt	15,4 kg

Emballeringsdata

Design	
Brise-funktion	✔
Kontroltype	Berøring
Ledningslængde	1,35 m

Emballeringsdata	
Pakkebredde	1025 mm
Pakkedybde	470 mm
Pakkehøjde	650 mm
Pakkevægt	21,1 kg

Andre funktioner	
Filter	MCFB97 | MCFB98
Målt lufttryk ved bedste effektivitetspunkt	435 Pa
Fedtningsfiltrerings-effektivitet (GFE)	75,1%
Hydraulisk effektivitet	29,2
Oprindelsesland	Polen

7333394074429

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 05-NOV-2026. Prints or copies of Information are only valid on the printed Publication date