D-Link

D-Link R36 trådløs router Ethernet Dual-band (2,4 GHz / 5 GHz) Hvid

Mærke : D-Link

Produktkode: R36/E

Produktnavn : R36

D-Link R36. WAN forbindelsestype: RJ-45. Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz), Bedste Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN dataoverførselshastighed (maks): 3570 Mbit/s. Ethernet LAN-grænsefladetype: Ethernet, Ethernet LAN-datahastigheder: 100,1000,2500 Mbit/s. Sikkerhedsalgoritmer: WPA2-Personal, WPA3-Personal. Produkttype: Bordplade router, Produktfarve: Hvid

WAN-forbindelse	
Ethernet WAN *	✔
DSL WAN *	✘
SIM-kort slot *	✘
3G/4G kompatibilitet USB-modem *	✘
WAN forbindelsestype	RJ-45
Trådløse LAN funktioner	
Wi-Fi-bånd *	Dual-band (2,4 GHz / 5 GHz)
Bedste Wi-Fi standard *	Wi-Fi 7 (802.11be)
WLAN dataoverførselshastighed (maks) *	3570 Mbit/s
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
WLAN dataoverførselshastighed (første bånd)	688 Mbit/s
WLAN dataoverførselshastighed (anden bånd)	2882 Mbit/s
Netværk	
Ethernet LAN *	✔
Ethernet LAN-grænsefladetype *	Ethernet
Ethernet LAN-datahastigheder	100,1000,2500 Mbit/s
Dynamisk DNS (DDNS)	✔
VPN gennemløb	✔
PPPoE/PPTP/L2TP pass-through	✔
Mobilt netværk	
Generering af mobilnetværk	Ikke understøttet
Porte & Grænseflader	
Ethernet LAN-porte (RJ-45) *	4
DC-in-stik	✔

Sikkerhed	
Sikkerhedsalgoritmer	WPA2-Personal, WPA3-Personal
Firewall	✔
Forældrekontrol	✔
Filtrering	✔
IP-adresse filtrering	✔
Understøttelse af DMZ	✔
Design	
Produktfarve	Hvid
Produkttype *	Bordplade router
Godkendelser	
Certificering	CE, FCC, IC
Emballage indhold	
Kabler inkluderet	LAN (RJ-45)
AC-adapter inkluderet	✔
Hurtig start guide	✔
Antenne	
Antennedesign *	Ekstern
Antenner, antal	4
Strømstyring	
Strømkilde type *	Vekselstrøm, DC
Udgangsspænding	12 V
Udgangsstrøm	1,5 A
Ekstern strømadapter	✔
Driftsbetingelser	
Driftstemperatur (T-T)	0 - 40 °C
Opbevaringstemperatur (T-T)	-20 - 65 °C
Relativ luftfugtighed ved drift (H-H)	10 - 90%
Relativ luftfugtighed ved opbevaring (H-H)	5 - 95%

Administrationsfunktioner	
Webbaseret administration	✔
Servicekvalitet support (QoS)	✔
Knap til nulstilling	✔
WPS trykknap	✔

Vægt & størrelser	
Bredde	204,6 mm
Dybde	176,5 mm
Højde	201,3 mm
Vægt	629 g

790069470202

0790069470202

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 25-OCT-2026. Prints or copies of Information are only valid on the printed Publication date