SAMSUNG

# Samsung Galaxy Z Fold8 Ultra 20,3 cm (8") Dual SIM 5G USB Type-C 12 GB 512 GB 5000 mAh Grafit





**Mærke :** Samsung

**Produktserie:** Galaxy

**Produktkode:** SM-F976BZKCEUE

**Produktnavn :** Galaxy Z Fold8 Ultra

Samsung Galaxy Z Fold8 Ultra . Skærm diagonal: 20,3 cm (8"), Skærmopløsning: 2504 x 2256 pixel. Processorserie: Snapdragon, Processormodel: 8 Elite Gen 5. RAM kapacitet: 12 GB, Intern lagerkapacitet: 512 GB. Bagerste kamera opløsning (numerisk): 200 MP, Bagkamera type: Tredobbelt kamera. SIM-korts kapacitet: Dual SIM. Batterikapacitet: 5000 mAh. Produktfarve: Grafit. Vægt: 215 g




## Display

| | |
|---|---|
| Skærm diagonal * | 20,3 cm (8") |
| Skærm form | Flad |
| Vis navn til markedsføring af teknologi | Dynamic AMOLED 2X |
| Skærm glas type | Gorilla Glass |
| Gorilla glass version | Gorilla Glass Victus 2 |
| Skærmopløsning * | 2504 x 2256 pixel |
| Vis antal farver | 16 millioner farver |
| Maksimal opdateringshastighed | 120 Hz |
| Skærmens lysstyrke | 1500 cd/m² |
| Maksimal lysstyrke på skærmen (udendørs) | 3000 cd/m² |
| Pixeltæthed | 422 ppi |
| Anden skærm | ✔ |
| Anden skærmdiagonal | 16,5 cm (6.5") |
| Anden skærmopløsning | 2520 x 1080 pixel |
| Anden displaytype | Dynamic AMOLED 2X |
| Andet display pixel tæthed | 422 ppi |
| Anden skærm glas type | Gorilla Glass |
| Anden skærm opdateringshastighed | 120 Hz |
| Gorilla Glass-version på den anden skærm | Gorilla Glass Ceramic 3 |

## Processor

| | |
|---|---|
| Processorserie * | Snapdragon |
| Processormodel * | 8 Elite Gen 5 |
| Processorkerner | 8 |
| Processor boost frekvens | 4,74 GHz |

## Lagring

| | |
|---|---|
| RAM kapacitet * | 12 GB |
| Intern lagerkapacitet * | 512 GB |
| Kompatible hukommelseskort * | Ikke understøttet |

## Kamera

| | |
|---|---|
| Bagerste kamera sensorstørrelse | 1/1.3" |
| Andet bagkamera sensorstørrelse | 1/2.52" |
| Størrelse på tredje bageste kamerasensor | 1/3.94" |
| Bagerste kamera opløsning (numerisk) * | 200 MP |
| Opløsning for andet bagkamera (numerisk) | 50 MP |

## Kamera

| | |
|---|---|
| Understøttede kamerabilledformater | JPEG |

## Netværk

| | |
|---|---|
| SIM-korts kapacitet * | Dual SIM |
| Generering af mobilnetværk * | 5G |
| SIM-korttype * | NanoSIM + eSIM |
| 3G standard * | UMTS, WCDMA |
| 4G standard * | LTE-TDD & LTE-FDD |
| 5G-standard * | Sub6 TDD, Sub6 FDD |
| Bedste Wi-Fi standard * | Wi-Fi 7 (802.11be) |
| Wi-Fi-standarder | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) |
| Bluetooth * | ✔ |
| Bluetooth-version | 6.0 |
| Understøttelse af 3G-bånd | 850,900,1900,2100 MHz |
| Understøttelse af 4G-bånd | 2100,1900,1800,2600,850,800,700,900,1500,2300,2500 MHz |
| Understøttelse af 5G-bånd | 2100,1900,1800,850,2600,900,700,800,2300,2500,3700,3500 MHz |
| Wi-Fi Direct | ✔ |
| Near Field Communication (NFC) | ✔ |

## Porte & Grænseflader

| | |
|---|---|
| USB-stik type | USB Type-C |
| USB version | 3.2 Gen 1 (3.1 Gen 1) |
| Tilslutning af hovedtelefoner | USB Type-C |

## Navigation

| | |
|---|---|
| GPS (satellit) | ✔ |
| GLONASS | ✔ |
| BeiDou | ✔ |
| Galileo | ✔ |
| Quasi-Zenith Satellitsystem (QZSS) | ✔ |
| Placering af position * | ✔ |

## Design

| | |
|---|---|
| Formfaktor * | Fold |
| Produktfarve * | Grafit |

## Præstation

| | |
|---|---|
| Trådløs opladning | ✔ |
| Fingeraftrykslæser | ✔ |
| Ansigtsgenkendelse | ✔ |

| Kamera | |
|---|---|
| Tredje bageste kameraopløsning (numerisk) | 10 MP |
| Bagerste kamera blænde nummer | 1,7 |
| Sekundær bagkamera apertur nummer | 1,9 |
| Tredje bagkamera blændenummer | 2,4 |
| Bagerste kamera pixelstørrelse | 0,6 µm |
| Pixelstørrelse i andet bagkamera | 0,7 µm |
| Tredje bagkamera pixelstørrelse | 1 µm |
| Bagerste kamera synsfelt (FOV) vinkel | 85° |
| Andet bagkamera synsvinkel (FOV) | 120° |
| Tredje bagkameras synsvinkel (FOV) | 36° |
| Optisk zoom | 3x |
| Digital zoom | 30x |
| Frontkameratype * | Enkelt kamera |
| Front kamera sensor størrelse | 1/3.33" |
| Front kamera opløsning (numerisk) * | 10 MP |
| Front kamera blænde nummer | 2,2 |
| Front kamera pixelstørrelse | 1,12 µm |
| Front kamera synsfelt (FOV) vinkel | 85° |
| Bagkamera flash * | ✔ |
| Flash type | LED |
| Videooptagelse med opløsning (maks.) | 2520 x 1080 pixel |
| Maksimum billedhastighed | 240 fps |
| Bagkamera type * | Tredobbelt kamera |
| Autofokus | ✔ |
| Billedstabilisator | ✔ |
| Billedstabilisator type | Optical Image Stabilization (OIS) |
| Nattilstand | ✔ |
| Panorama | ✔ |
| Portrættilstand | ✔ |
| Slow motion-tilstand | ✔ |
| Langsom bevægelseshastighed | 240fps in FHD, 120fps in FHD, 120fps in UHD |

| Multimedie | |
|---|---|
| Understøttede lydformater | MP3, M4A, 3GA, AAC, OGG, OGA, WAV, AMR, AWB, FLAC, Midt, MIDI, XMF, MXMF, IMY, RTTTL, RTX, OTA, DFF, DSF, APE |
| Understøttede videoformater | MP4, M4V, 3GP, 3G2, AVI, FLV, MKV, WEBM |

| Software | |
|---|---|
| Platform * | Android |

| Batteri | |
|---|---|
| Batterilevetid i cyklusser * | 1200 |
| Batterikapacitet * | 5000 mAh |
| Vedvarende afspilningstid, video (max) | 27 t |

| Sensorer | |
|---|---|
| Nærhedssensor | ✔ |
| Accelerometer | ✔ |
| Sensor for omgivende lys | ✔ |
| Gyroskop | ✔ |
| Barometer | ✔ |
| Geomagnetisk sensor | ✔ |
| Hall-sensor | ✔ |

| Strømstyring | |
|---|---|
| Opladningsport til USB Type-C * | ✔ |
| Nødvendig opladningseffekt (min) * | 10 W |
| Nødvendig opladningseffekt (maks.) * | 45 W |

| Styrke | |
|---|---|
| Energieffektivitetsklasse * | A |
| Energieffektivitetsskala | A til G |
| Batterilevetid pr. cyklus * | 3070 min. |
| Gentaget frit fald pålidelighedsklasse * | A |
| Reparerbarhedsklasse * | C |
| Kode for international beskyttelse (IP) * | IP48 |

| Vægt & størrelser | |
|---|---|
| Bredde | 143,2 mm |
| Dybde | 4,1 mm |
| Højde | 158,4 mm |
| Vægt * | 215 g |
| Sammenfoldet, bredde | 7,28 cm |
| Sammenfoldet, dybde | 8,9 mm |
| Sammenfoldet, højde | 14,3 cm |

| Emballage indhold | |
|---|---|
| AC-adapter inkluderet * | ✘ |
| Kabler inkluderet | USB Type-C til USB Type-C |
| Udstødningsstift | ✔ |

| Specifik absorptionsrate (SAR) | |
|---|---|
| Hoved-SAR (EU) | 0,821 W/kg |
| Krop SAR (EU) | 1,167 W/kg |
| Ekstremiteter SAR (EU) | 2,87 W/kg |

8806099186517

**Catalog Object Cloud**

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 21-NOV-2026. Prints or copies of Information are only valid on the printed Publication date