D-Link DCS-6012 IP-sikkerhedskamera Indendørs 2304 x 1296 pixel Bord/Væg



Mærke : D-Link

Produktkode: DCS-6012/E

Produktnavn : DCS-6012

D-Link DCS-6012. Type: IP-sikkerhedskamera, Understøttet placering: Indendørs, Forbindelsesteknologi: Trådløs. Monteringstype: Bord/Væg, Produktfarve: Hvid. Objektivets synsvinkel, vandret: 87°, Objektivets synsvinkel, lodret: 50°, Objektivets synsvinkel, diagonal: 115°. Sensortype: CMOS, Optisk sensorstørrelse: 25,4 / 3 mm (1 / 3"). Fast brændvidde: 3 mm

Præstation	
Type *	IP-sikkerhedskamera
Understøttet placering *	Indendørs
Forbindelsesteknologi *	Trådløs
Infrarød (IR) cut-off filter	✔
Certificering	FCC Class B, CE

Design	
Monteringstype *	Bord/Væg
Produktfarve *	Hvid

Kamera	
Objektivets synsvinkel, vandret	87°
Objektivets synsvinkel, lodret	50°
Objektivets synsvinkel, diagonal	115°

Billedsensor	
Antal sensorer	1
Optisk sensorstørrelse	25,4 / 3 mm (1 / 3")
Sensortype *	CMOS

Linsesystem	
Antal linser *	1
Maksimale blænderåbning tal	2
Fast brændvidde	3 mm

Nattesyn	
Nattesyn *	✔
Nattesyn, afstand	8 m
LED type	IR

Video	
Maksimal opløsning *	2304 x 1296 pixel
Samlet antal megapixels *	3 MP
Understøttede videoformater	H.264
Video komprimeringsformater	H.264

Lyd	
Indbyggede højttaler(e)	✔
Understøttede lydformater	AAC-LC
Indbygget mikrofon	✔

Netværk	
Ethernet LAN *	✘
Netværksstandarder	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Understøttede netværksprotokoller	IPv4
Wi-Fi *	✔

Lagring	
Indbygget HDD *	✘
Indbygget kortlæser	✘
Kompatible hukommelseskort	Ikke understøttet

Sikkerhed	
Bevægelsessensor (video)	✔
Sikkerhedsalgoritmer	WPA3, TLS
Intelligent Video Surveillance (IVS) systemfunktioner	Registrering af personer

Administrationsfunktioner	
Cloud-administreret *	✔

Strømstyring	
Strømkilde type *	Vekselstrøm, DC, USB
DC udgangsspænding	5
DC-udgangsstrøm	1 A

Driftsbetingelser	
Driftstemperatur (T-T)	0 - 40 °C
Opbevaringstemperatur (T-T)	-20 - 70 °C
Relativ luftfugtighed ved drift (H-H)	20 - 90%
Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%

Vægt & størrelser	
Bredde	56 mm
Dybde	56 mm
Højde	104 mm
Vægt	66 g

Bæredygtighed	
Compliance-certifikater	CE

Emballage indhold	
Antal kameraer *	1

0790069483400

790069483400

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 20-NOV-2026. Prints or copies of Information are only valid on the printed Publication date