ZYXEL

Zyxel GS1200-8HP v2 Administreret Gigabit Ethernet (10/100/1000) Strøm over Ethernet (PoE) Grå

Mærke : Zyxel

Produktkode: GS1200-8HPV2-EU0101F

Produktnavn : GS1200-8HP v2



Zyxel GS1200-8HP v2. Switch-type: Administreret. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 8. Fuld duplex. MAC adresselabel: 4000 entries, Switch kapacitet: 16 Gbit/sek.. Netværksstandarder: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3x. DC indgangsspænding: 55 V. Strømstik: DC-in-stik. Strøm over Ethernet (PoE)



Administrationsfunktioner	
Switch-type *	Administreret
Servicekvalitet support (QoS)	✔
Webbaseret administration	✔
Porte & Grænseflader	
Basis omskiftning RJ-45 Ethernet porte, antal *	8
Basis omskiftning RJ-45 Ethernet porttype *	Gigabit Ethernet (10/100/1000)
Strømstik	DC-in-stik
Netværk	
Netværksstandarder *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3x
Port-spejlning	✔
Fuld duplex	✔
Flowkontrol support	✔
Link aggregering	✔
Broadcast stormkontrol	✔
Auto MDI/MDI-X	✔
Dataoverførsel	
Switch kapacitet *	16 Gbit/sek.
MAC adresselabel *	4000 entries
Opbevar-og-frem	✔
Jumbo Frames support	✔
Jumbo rammer	9000
Jumbo frame område	1 - 1 B
Sikkerhed	
DHCP funktioner	DHCP client
IGMP snooping	✔
Loop beskyttelse	✔

Design	
Husmateriale	Metal
Antal blæsere	0 blæser(e)
Præstation	
Bufferstørrelse	192 KB
Strømstyring	
DC indgangsspænding	55 V
Indgangsstrøm	1.3 A
Strømforbrug (maks.)	72 W
Power over Ethernet (PoE)	
Strøm over Ethernet (PoE) *	✔
Power over Ethernet plus (PoE+) porte, antal	4
Total Power over Ethernet (PoE)	60 W
Driftsbetingelser	
Driftstemperatur (T-T)	0 - 40 °C
Opbevaringstemperatur (T-T)	-40 - 70 °C
Relativ luftfugtighed ved drift (H-H)	10 - 90%
Relativ luftfugtighed ved opbevaring (H-H)	10 - 90%
Vægt & størrelser	
Bredde	240 mm
Dybde	105 mm
Højde	26 mm
Vægt	584 g
Emballeringsdata	
Pakkebredde	256 mm
Pakkedybde	132 mm
Pakkehøjde	78 mm
Pakkevægt	1,15 kg

Design		Logistik data	
Stativ-montering *	✕	Harmoniseret systemkode (HS)	85176990
Produktfarve	Grå		

4718937600601

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-NOV-2026. Prints or copies of Information are only valid on the printed Publication date