




## TP-Link TL-SG105S Ikke administreret Gigabit Ethernet (10/100/1000) Sort

Mærke : TP-Link

Produktkode: TL-SG105S V2

Produkt navn : TL-SG105S

TP-Link TL-SG105S. Switch-type: Ikke administreret. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 5. Fuld duplex. MAC adresselabel: 2000 entries. Netværksstandarder: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u. DC indgangsspænding: 5 V. Strømkontakt: DC-in-stik. Kan monteres på væggen



| Administrationsfunktioner                       |                                                     | Præstation                                 |             |
|-------------------------------------------------|-----------------------------------------------------|--------------------------------------------|-------------|
| Switch-type *                                   | Ikke administreret                                  | Plug and play                              | ✓           |
| Servicekvalitet support (QoS)                   | ✓                                                   | Strømstyring                               |             |
| Porte & Grænseflader                            |                                                     | Strømkilde *                               | DC          |
| Basis omskiftning RJ-45 Ethernet porte, antal * | 5                                                   | Strømforsyning inkluderet *                | ✓           |
| Basis omskiftning RJ-45 Ethernet porttype *     | Gigabit Ethernet (10/100/1000)                      | Antal strømforsyninger                     | 1           |
| Gigabit Ethernet (kobber) porte, antal          | 5                                                   | Vekselstrømsindgangsspænding               | 220 V       |
| Strømkontakt                                    | DC-in-stik                                          | Vekselstrømsindgangsfrekvens               | 50 Hz       |
| Netværk                                         |                                                     | DC indgangsspænding                        | 5 V         |
| Netværksstandarder *                            | IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u | Indgangsstrøm                              | 0.6 A       |
| 10G understøttelse *                            | ✗                                                   | Indgangsspænding                           | 5 V         |
| Kobber ethernet kabelteknologi                  | 10BASE-T, 100BASE-TX, 1000BASE-T                    | Udgangsspænding                            | 9 V         |
| Understøttede kabeltyper                        | Cat3, Cat4, Cat5, Cat5e                             | Udgangsstrøm                               | 0,6 A       |
| Fuld duplex                                     | ✓                                                   | Strømforbrug (maks.)                       | 2,3 W       |
| Flowkontrol support                             | ✓                                                   | Power over Ethernet (PoE)                  |             |
| Auto MDI/MDI-X                                  | ✓                                                   | Strøm over Ethernet (PoE) *                | ✗           |
| Auto-forhandling                                | ✓                                                   | Driftsbetingelser                          |             |
| MAC-adresse auto-indlæring understøttet         | ✓                                                   | Driftstemperatur (T-T)                     | 0 - 40 °C   |
| MAC-adresse auto-forældelse understøttet        | ✓                                                   | Opbevaringstemperatur (T-T)                | -40 - 70 °C |
| Dataoverførsel                                  |                                                     | Relativ luftfugtighed ved drift (H-H)      | 10 - 90%    |
| Hastighed for videresendelse                    | 7,4 Mpps                                            | Relativ luftfugtighed ved opbevaring (H-H) | 5 - 90%     |
| MAC adresselabel *                              | 2000 entries                                        | Varmeafgivelse                             | 7,83 BUT/t  |
| Opbevar-og-frem                                 | ✓                                                   | Vægt & størrelser                          |             |
| Jumbo Frames support                            | ✓                                                   | Bredde                                     | 100 mm      |
| Jumbo rammer                                    | 16000                                               | Dybde                                      | 98 mm       |
| Pakke bufferlager                               | 1 MB                                                | Højde                                      | 25 mm       |
|                                                 |                                                     | Emballage indhold                          |             |
|                                                 |                                                     | Kabler inkluderet                          | Vekselstrøm |
|                                                 |                                                     | Brugervejledning                           | ✓           |

| Sikkerhed              |      | Emballeringsdata             |               |
|------------------------|------|------------------------------|---------------|
| IGMP snooping          | ✓    | AC-adapter inkluderet        | ✓             |
| Design                 |      | Pakketype                    | Kasse         |
| Stativ-montering *     | ✗    | Gummifødder                  | ✓             |
| Produktfarve           | Sort | Pakkebredde                  | 107 mm        |
| Husmateriale           | Stål | Pakkedybde                   | 192 mm        |
| LED-indikatorer        | ✓    | Pakkehøjde                   | 107 mm        |
| Kan monteres på væggen | ✓    | Pakkevægt                    | 476 g         |
|                        |      | Godkendelser                 |               |
|                        |      | Certificering                | CE, FCC, RoHS |
|                        |      | Logistik data                |               |
|                        |      | Harmoniseret systemkode (HS) | 85176990      |



0845973083519




845973083519



6935364083519




6935364095024



0840460604062



840460604062



1210002616874

## Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.