TP-Link ARCHER C24 trådløs router Hurtigt ethernet Dual-band (2,4 GHz / 5 GHz) Hvid

Mærke : TP-Link

Produktkode: ARCHER C24

Produktnavn : ARCHER C24

TP-Link ARCHER C24. Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz), Bedste Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN dataoverførselshastighed (maks): 433 Mbit/s. Ethernet LAN-grænsefladetype: Hurtigt ethernet, Ethernet LAN-datahastigheder: 10,100 Mbit/s, Netværksstandarder: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Sikkerhedsalgoritmer: WEP, WPA, WPA2. Produkttype: Bordplade router, Produktfarve: Hvid. Compliance-certifikater: RoHS

WAN-forbindelse	
Ethernet WAN *	✔
DSL WAN *	✘
SIM-kort slot *	✘
3G/4G kompatibilitet USB-modem *	✘
Trådløse LAN funktioner	
Wi-Fi-bånd *	Dual-band (2,4 GHz / 5 GHz)
Bedste Wi-Fi standard *	Wi-Fi 5 (802.11ac)
WLAN dataoverførselshastighed (maks) *	433 Mbit/s
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Netværk	
Ethernet LAN *	✔
Ethernet LAN-grænsefladetype *	Hurtigt ethernet
Ethernet LAN-datahastigheder	10,100 Mbit/s
Netværksstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Mobilt netværk	
3G	✘
4G	✘
Porte & Grænseflader	
Ethernet LAN-porte (RJ-45) *	5
USB-port *	✘
Hukommelseskortstik	✘
DC-in-stik	✔
Administrationsfunktioner	
Servicekvalitet support (QoS)	✔
Knap til nulstilling	✔

Protokoller	
DHCP-klient	✔
DHCP-server	✔
Design	
Produktfarve	Hvid
Produkttype *	Bordplade router
Godkendelser	
Compliance-certifikater	RoHS
Emballage indhold	
Kabler inkluderet	LAN (RJ-45)
AC-adapter inkluderet	✔
Hurtig installationsvejledning	✔
Bæredygtighed	
Overholdelse af bæredygtighed	✔
Antenne	
Antennedesign *	Ekstern
Antenner, antal	4
Funktioner	
Indbygget processer	✔
Processorkerner	1
Strømstyring	
Strømkilde type *	Vekselstrøm
Udgangsspænding	9 V
Udgangsstrøm	0,6 A
Driftsbetingelser	
Driftstemperatur (T-T)	0 - 40 °C
Opbevaringstemperatur (T-T)	-40 - 60 °C
Relativ luftfugtighed ved drift (H-H)	10 - 90%

Administrationsfunktioner	
WPS trykknap	✔

Sikkerhed	
Sikkerhedsalgoritmer	WEP, WPA, WPA2
Firewall	✔
Forældrekontrol	✔
URL-filtrering	✔

Driftsbetingelser	
Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%

Vægt & størrelser	
Bredde	115 mm
Dybde	106,7 mm
Højde	24,3 mm

6935364089474

1210002615853

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 30-OCT-2026. Prints or copies of Information are only valid on the printed Publication date