TP-Link TL-MR3020 trådløs router Hurtigt ethernet Enkelt band (2,4 GHz) 4G Sølv, Hvid



Mærke : TP-Link

Produktkode: TL-MR3020

Produktnavn : TL-MR3020

TP-Link TL-MR3020. WAN forbindelsestype: RJ-45. Wi-Fi-bånd: Enkelt band (2,4 GHz), Bedste Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN dataoverførselshastighed (maks): 300 Mbit/s. Ethernet LAN-grænsefladetype: Hurtigt ethernet, Ethernet LAN-datahastigheder: 10,100 Mbit/s, Netværksstandarder: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Generering af mobilnetværk: 4G, 3G standard: EVDO, HSPA, HSPA+, UMTS, 4G standard: LTE. Sikkerhedsalgoritmer: 64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK, Firewall sikkerhed: DoS, SPI



WAN-forbindelse	
Ethernet WAN *	✔
DSL WAN *	✘
SIM-kort slot *	✘
3G/4G kompatibilitet USB-modem *	✔
WAN forbindelsestype	RJ-45
Trådløse LAN funktioner	
Wi-Fi-bånd *	Enkelt band (2,4 GHz)
Bedste Wi-Fi standard *	Wi-Fi 4 (802.11n)
WLAN dataoverførselshastighed (maks) *	300 Mbit/s
Wi-Fi-standarder	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Netværk	
Ethernet LAN *	✔
Ethernet LAN-grænsefladetype *	Hurtigt ethernet
Ethernet LAN-datahastigheder	10,100 Mbit/s
Netværksstandarder	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Portvideresendelse	✔
Port udløsning	✔
Dynamisk DNS (DDNS)	✔
Modtager, følsomhed	270M: -70dBm@10% PER 130M: -73dBm@10% PER 108M: -74dBm@10% PER 54M: -75dBm@10% PER 11M: -86dBm@8% PER 6M: -92dBm@10% PER 1M: -95dBm@8% PER
Mobilt netværk	
Generering af mobilnetværk	4G
3G	✔
3G standard	EVDO, HSPA, HSPA+, UMTS
4G standard	LTE

Sikkerhed	
Understøttelse af DMZ	✔
Protokoller	
DHCP-klient	✔
DHCP-server	✔
Universal Plug and Play (UPnP)	✔
Design	
Produktfarve	Sølv, Hvid
Produkttype *	Bordplade router
Godkendelser	
Compliance-certifikater	RoHS, Federal Communications Commission (FCC), CE
Emballage indhold	
Kabler inkluderet	LAN (RJ-45), USB
Hurtig installationsvejledning	✔
Bæredygtighed	
Overholdelse af bæredygtighed	✔
Antenne	
Antennedesign *	Intern
Overfører strøm	20 dBmW
Strømstyring	
Strømkilde type *	USB
Udgangsspænding	5 V
Udgangsstrøm	1 A
Driftsbetingelser	
Driftstemperatur (T-T)	-10 - 60 °C
Opbevaringstemperatur (T-T)	-40 - 80 °C
Relativ luftfugtighed ved drift (H-H)	10 - 90%

Porte & Grænseflader	
Ethernet LAN-porte (RJ-45) *	1
USB-port *	✔
Antal USB 2.0-porte	1

Administrationsfunktioner	
Webbaseret administration	✔
Wi-Fi-multimedie (WMM)/(WME)	✔
Servicekvalitet support (QoS)	✔
Knap til nulstilling	✔
WPS trykknap	✔

Sikkerhed	
Sikkerhedsalgoritmer	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK
Firewall	✔
Firewall sikkerhed	DoS, SPI
Gæsteadgang	✔
DoS angrebsforebyggelse	✔
Forældrekontrol	✔
Filtrering	✔
Filtrering af MAC-adresser	✔

Driftsbetingelser	
Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%

Systemkrav	
Understøttede Windows-operativsystemer	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Understøttede Linux-operativsystemer	✔
Understøttede Mac-operativsystemer	✔

Vægt & størrelser	
Bredde	74 mm
Dybde	67 mm
Højde	22 mm

Emballeringsdata	
Pakkebredde	110 mm
Pakkedybde	109 mm
Pakkehøjde	81,5 mm
Pakkevægt	210 g

Logistik data	
Harmoniseret systemkode (HS)	85176990



0845973051709



845973051709



6935364082345



5053460945348



0720591570675



720591570675



6857845734720



6935364090623



8459730517098



5052415405760



1210002615402

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 04-NOV-2026. Prints or copies of Information are only valid on the printed Publication date