
D-Link DGS-1210-08P Administreret L2 Gigabit Ethernet (10/100/1000) Strøm over Ethernet (PoE) Sort



Mærke : D-Link

Produktkode: DGS-1210-08P/E

Produktnavn : DGS-1210-08P

D-Link DGS-1210-08P. Switch-type: Administreret, Switch lag: L2. Basis omskiftning RJ-45 Ethernet porttype: Gigabit Ethernet (10/100/1000), Basis omskiftning RJ-45 Ethernet porte, antal: 8. Fuld duplex. MAC adresselabel: 16000 entries, Switch kapacitet: 20 Gbit/sek.. Netværksstandarder: IEEE 802.1D, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3af. Strøm over Ethernet (PoE). Stativ-montering

Administrationsfunktioner	
Switch-type *	Administreret
Switch lag	L2
Servicekvalitet support (QoS)	✔
MIB support	1213 MIB II, 1493 Bridge MIB, 1907 SNMP v2 MIB, 1215 Trap Convention MIB, 2233 Interface Group MIB, D-Link Private MIB, Power-Ethernet MIB, LLDP MIB, D-Link ZoneDefense MIB1
Porte & Grænseflader	
Basis omskiftning RJ-45 Ethernet porte, antal *	8
Basis omskiftning RJ-45 Ethernet porttype *	Gigabit Ethernet (10/100/1000)
Antal SFP modulslots	2
Netværk	
Netværksstandarder *	IEEE 802.1D, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3af
10G understøttelse *	✔
Fuld duplex	✔
Flowkontrol support	✔
Spanning tree protokol	✔
Head-of-line (HOL) blokering	✔
VLAN understøttelse	✔
Dataoverførsel	
Switch kapacitet *	20 Gbit/sek.
MAC adresselabel *	16000 entries
Jumbo Frames support	✔
Pakke bufferlager	6 MB
Sikkerhed	
DHCP funktioner	DHCP server, DHCP client
Adgangskontrolliste (ACL)	✔
IGMP snooping	✔
Filtrering af MAC-adresser	✔
Statisk port, sikkerhed	✔
SSH/SSL support	✔
Multicast funktioner	
Multicast-understøttelse	✔
Protokoller	
Administrationsprotokoller	SNMP, RMON
Datalink-protokol	IP

Power over Ethernet (PoE)	
Power over Ethernet plus (PoE+) porte, antal	8
Andre funktioner	
Hastighed af pakkeoverførsel	14.9 Mp/s
Strøm-LED	✔
Driftsbetingelser	
Driftstemperatur (T-T)	-5 - 50 °C
Opbevaringstemperatur (T-T)	-20 - 70 °C
Relativ luftfugtighed ved drift (H-H)	0 - 95%
Relativ luftfugtighed ved opbevaring (H-H)	0 - 95%
Vægt & størrelser	
Bredde	280 mm
Dybde	180 mm
Højde	44 mm
Emballeringsdata	
Pakkebredde	288 mm
Pakkedybde	331 mm
Pakkehøjde	72 mm
Pakkevægt	2,17 kg
Tekniske detaljer	
Forsendelseskassens højde (indvendig)	31,7 cm
Forsendelseskasses kassens bredde (indvendig)	34,6 cm
Forsendelseskassens længde (indvendig)	38,2 cm
Forsendelsesemballage nettovægt	10,8 kg
Produkter pr. forsendelseskasse (indvendig)	5 stk
Palle bruttovægt (luft)	436,1 kg
Antal papkasser pr. palle (luft)	36 stk
Antal pr. palle (luft)	180 stk
Pallens bruttolængde	110 cm
Pallens bruttobredde	120 cm
Pallehøjde (luft)	140,3 cm
Palle bruttovægt (hav)	644,9 kg
Antal papkasser pr. palle (hav)	54 stk
Antal pr. palle (hav)	270 stk
Pallehøjde (hav)	2,04 m
Forsendelseskassens bruttovægt (indvendig)	11,6 kg

Design	
Stativ-montering *	✔
Stabelbar *	✔
Produktfarve	Sort
LED-indikatorer	✔
Forbedret kabelstyring	✔
Sikkerhed	cUL, LVD

Strømstyring	
Vekselstrømsindgangsspænding	100 - 240 V

Power over Ethernet (PoE)	
Strøm over Ethernet (PoE) *	✔

Godkendelser	
Certificering	CE Class A

Logistik data	
Harmoniseret systemkode (HS)	85176990

0790069467691

790069467691

5704174940296

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 12-NOV-2026. Prints or copies of Information are only valid on the printed Publication date