



TP-Link Omada ER605 kabelforbundet router Gigabit Ethernet Sort

Mærke : TP-Link

Produktserie: Omada

Produktkode: ER605

Produkt navn : ER605

TP-Link Omada ER605. Netværksstandarder: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, Ethernet-grænsefladetype: Gigabit Ethernet, Kabelteknologi: 10/100/1000Base-T(X). Routing-protokoller: RIP-1, RIP-2, Administrationsprotokoller: Telnet, Understøttede netværksprotokoller: TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DNS, IPsec, PPTP, L2TP. Sikkerhedsalgoritmer: 3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, Godkendelsesmetode: SHA-1, MD5, VPN-support: • 20 IPsec VPN Tunnels • LAN-to-LAN, Client-to-LAN • Main, Aggressive Negotiation Mode • Compliance-certifikater: RoHS. Kabler inkluderet: Vekselstrøm



WAN-forbindelse		Sikkerhed	
Ethernet WAN *	✓	VPN-support	• 20 IPsec VPN Tunnels • LAN-to-LAN, Client-to-LAN • Main, Aggressive Negotiation Mode • DES, 3DES, AES128, AES192, AES256 Encryption Algorithm • IKEv1/v2 • MD5, SHA1 Authentication Algorithm • NAT Traversal (NAT-T) • Dead Peer Detection (DPD) • Perfect Forward Secrecy (PFS) • PPTP VPN Server • 10 PPTP VPN Clients • 16 Tunnels • PPTP with MPPE Encryption • L2TP VPN Server • 10 L2TP VPN Clients • 16 Tunnels • L2TP over IPsec • OpenVPN Server • 10 OpenVPN Clients • 16 OpenVPN Tunnels
DSL WAN *	✗		
SIM-kort slot *	✗		
3G/4G kompatibilitet USB-modem *	✗		
Netværk		NAT-funktionalitet	• One-to-One NAT • Multi-Net NAT • Virtual Server • Port Triggering • NAT-DMZ • FTP/H.323/SIP/IPsec/PPTP ALG, UPnP
Netværksstandarder *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x		
Ethernet-grænsefladetype *	Gigabit Ethernet		
Kabelteknologi	10/100/1000Base-T(X)		
Ethernet LAN-datahastigheder	10,100,1000 Mbit/s		
VLAN understøttelse	✓		
Trafikkontrol	✓		
Politikbaseret routing	✓	Godkendelser	RoHS
Samtidige forbindelser	150000		
Administrationsfunktioner		Emballage indhold	
Webbaseret administration *	✓	Kabler inkluderet	Vekselstrøm
Universal Plug and Play (UPnP)	✓	Brugervejledning	✓
Knap til nulstilling	✓	Hurtig start guide	✓
		Hurtig installationsvejledning	✓
Porte & Grænseflader		Funktioner	
Ethernet LAN-porte (RJ-45) *	5	Flashhukommelse	128 MB
Antal USB-porte	1	Intern hukommelse	256 MB
Protokoller		Intern hukommelsestype	DRAM
Understøttelse af DMZ	✓		
Routing-protokoller	RIP-1, RIP-2		
Administrationsprotokoller	Telnet		
DHCP-klient *	✓		


Protokoller		Funktioner	
DHCP-server *	✓		Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Understøttede netværksprotokoller	TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DNS, IPsec, PPTP, L2TP	Understøttede Windows-operativsystemer	
Understøttede protokoller	IPsec/PPTP/L2TP	Understøttede Mac-operativsystemer	MacOS
Sikkerhed		Understøttede Linux-operativsystemer	✓
Sikkerhedsalgoritmer *	3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1	Certificering	CE, FCC, RoHS
Firewall	✓	Design	
Godkendelsesmetode	SHA-1, MD5	Produktfarve *	Sort
URL-filtrering	✓	Stativ-montering	✓
DoS angrebsforebyggelse	✓	Rackkapacitet	1U
ARP angrebsbeskyttelse	✓	LED-indikatorer	Aktivitet, LAN, System, USB, WAN
Netværk adresse-oversættelse (NAT)	✓	Strømstyring	
System hændelseslog	✓	Strømforbrug (typisk) *	7,94 W
Antal VPN-tunneler	20	Strømkilde type	Vekselstrøm
		Vekselstrømsindgangsspænding	120 - 240 V
		Vekselstrømsindgangsfrekvens	50 - 60 Hz
		Driftsbetingelser	
		Driftstemperatur (T-T)	0 - 40 °C
		Opbevaringstemperatur (T-T)	-40 - 70 °C
		Relativ luftfugtighed ved drift (H-H)	10 - 90%
		Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
		Vægt & størrelser	
		Bredde	158 mm
		Dybde	101 mm
		Højde	25 mm
		Emballeringsdata	
		Pakkebredde	190 mm
		Pakkedybde	254 mm
		Pakkehøjde	60 mm
		Pakkevægt	650 g



6935364089597




1210002611213



0840460604635



840460604635



1210002611206

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.